

SITE ASSESSMENT TECHNICAL ASSISTANCE





21 July 1998

Mr. Peter Gold (3HS33) Site Assessment Manager U.S. Environmental Protection Agency 1650 Arch Street Philadelphia, PA 19103-2029

TDD No. 9801-158 DCN D0000471

Subject: Robert Wooler Company Site Trip Report CERCLIS No. PAD987279387 DSN: PA-2700

Dear Mr. Gold:

Enclosed is the trip report for the sampling event that was conducted at the Robert Wooler Company Site on 13 May 1998. As we discussed in our telephone conversation on this date, I recommend that no further actions be taken at this time due to the limited migration of the contaminants. There is also evidence of natural degradation of these contaminants which is further limiting any potential impact on the public health or the environment.

Please keep in mind that this document is considered confidential due to the listing of residential names in association with reported analytical values.

If you have any comments concerning this report, please contact me at

Very truly yours,

ROY F. WESTON, INC.

Site Leader

Attachment

cc: TDD File

D:trip report 2 cover ltr.doc

Roy F. Weston, Inc. FEDERAL PROGRAMS DIVISION

In Association with Foster Wheeler Environmental Corporation; Resource Applications, Inc.; C.C. Johnson & Malhotra, P.C.; and PRC Environmental Management, Inc.



Trip Report

Robert Wooler Company Site Dresher, Montgomery County, PA

CERCLIS No. PAD987279387

DSN PA-2700

DATE 21 July 1998

Prepared for
U.S. Environmental Protection Agency Region III

CEPP and Site Assessment Section

Philadelphia, PA



TRIP REPORT

Robert Wooler Company Site Dresher, Montgomery County, Pennsylvania



1.0 INTRODUCTION

Under the authority of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980 and the Superfund Amendments and Reauthorization Act (SARA) of 1986, the U.S. Environmental Protection Agency (EPA) Region III Chemical Emergency Preparedness Program (CEPP) and Site Assessment Section, under the guidance of Site Assessment Manager Peter Gold, has directed the Roy F. Weston, Inc. (WESTON®), Site Assessment Technical Assistance (SATA) team to conduct a follow-up investigation at the Robert Wooler Company Site, Dresher, Montgomery County, Pennsylvania (CERCLIS No. PAD987279387). SATA conducted a sampling event at the site on Wednesday, 13 May 1998, to determine if hazardous substances have undergone horizontal migration.

2.0 BACKGROUND


2.1 Site Description

The Robert Wooler Company Site is located on 1755 Susquehanna Road, in Dresher, Montgomery County, Pennsylvania, in a light industrial/residential zone. Figure 1, Site Location Map, illustrates the site's location in the Dresher area. The climate of Montgomery County is temperate with mean temperatures ranging from 31.2 °F in January to 76.5 °F in July. The average annual precipitation is 41.42 inches and the mean lake evaporation is 34.5 inches with a 2-year, 24-hour rainfall event of 3.0 inches (DOC, 1996). This gives the Dresher area a net precipitation of 6.92 inches.

2.2 Regulatory History

The Robert Wooler Company (RWC) Site is an active commercial metal heat treatment facility which has been in operation since 1939. During a 1989 inspection involving the adjacent Selas Corporation, the well at the Wooler facility was sampled. The sample results showed elevated levels of trichloroethane, trichloroethene, tetrachloroethene and dichloroethane in the well water (the highest levels identified in that sampling event). The well is used to supply non-contact cooling water for the facility's heat treating equipment. A Preliminary Assessment (PA) was conducted at the Robert Wooler facility and the final report was completed in 1993 (E&E, 1993).

The PA stated that the facility used trichloroethene (TCE) as a cleaning agent from 1963 to 1985. It also suggests that the source of the hazardous substances may be a septic field once utilized by the facility. The septic field was active from 1939 until the early 1980's, when the facility was connected to the municipal system.





According to facility officials, the septic system was backfilled at that time. There have been no spill reports submitted by the Robert Wooler Company to federal or state agencies.

In addition, the PA states that the Wooler facility had discharged an algaecide (CGO-10-with Visigard), used to clean the cooling towers, to a storm sewer until January 1992. The Pennsylvania Department of Environmental Protection (PADEP) investigated a complaint of soil staining along the unnamed tributary and traced the problem back to the storm sewers being utilized by the facility.

The unnamed tributary, which is believed to be perennial, empties into Rapp Run, which feeds into the Sandy Run Creek. The Sandy Run Creek feeds into the Wissahickon Creek. In February 1992, a Notice of Violation was issued by PADEP to the facility, ordering that the discharge of the algaecide to the storm sewer be stopped immediately. Robert Wooler complied with the order and plugged the storm sewer connection. Currently, the algaecide is discharged to the municipal sewer under permit with the Upper Dublin Sewer Department and the Abington Wastewater Treatment Plant (E&E, 1993).

In 1997, SATA conducted a site inspection of the facility to determine if hazardous substances were present and what impact they may have on the public health and the environment. This inspection showed evidence of hazardous substances impacting the groundwater on the site. A PREscore, prepared in conjunction with the site inspection, indicated an observed release to groundwater targets due to the presence of hazardous substances in the Wooler well; however, no direct evidence of this was documented. It was hypothesized by SATA that the Wooler well was acting as a containing factor in minimizing the hazardous substance release (SATA, 1997).

3.0 SITE ACTIVITIES

3.1 Actions Taken

On 13 May 1998, SATA members conducted a sampling event to further characterize the presence of hazardous substances in the groundwater surrounding the Robert Wooler Company site. SATA collected nine well samples within a one-mile radius of the Wooler facility. In addition to this, one duplicate sample was collected to meet field quality assurance measures.

3.2 Site Conditions

The Robert Wooler Company facility is located in a light industrial/residential area of Dresher, Montgomery County, Pennsylvania. Approximately 300 feet northwest of the facility is an unnamed tributary to Rapp Run, which flows from the northeast along the edge of state route 276. The wells sampled for this event surrounded the Wooler facility and were all within a one-mile radius of the site location. The

Manufacturers Country Club, the only public drinking water source sampled for this event, is located approximately 0.9 miles south-southwest of the site.

3.3 Meteorological Conditions

The ambient weather conditions for the greater Dresher area for the day of the sampling event are provided as below:

Table 1 Meteorological Conditions

Average Temperature	74°F
Primary Wind Direction	west
Wind Speed	approximately 1-5 mph
Sky Condition	partly cloudy

3.4 Sampling Activities

Samples were collected to identify the presence of and potential horizontal migration of hazardous substances from the site. The sampling event followed the procedures outlined in the site sampling plan with the following exceptions:

- Sample RWGW04 was not collected from the (b) (6)
 (b) (6) contacted SATA member by telephone on 12
 May 1998, to inform me that no one would be home on the thirteenth due to a personal emergency. No sample was collected from the (b) (6) home for this reason. This sample number was assigned to the (b) (6) home.
- The (b) (6) homes were not sampled, as SATA was unable to contact these residences prior to the sampling event.
- A duplicate sample was collected from the Manufacturers Country Club (MCC) well rather than the RWC well due to the location of the MCC well access. The RWC well access was in the locker room of the facility with no means of controlling spillage from the sample collection; therefore, a duplicate sample was collected at the MCC where the spillage was containable.
- SATA experienced a delay in obtaining a pH/conductivity meter for this
 event; therefore, each residential well was purged for 15 minutes to
 ensure samples were indicative of the aquifers involved. The RWC,
 MCC and Allied Concrete wells were purged for only five-minutes each
 due to the wells' high volume usage during working hours.




All the samples collected were analyzed for volatile organics according to Contract/Laboratory Program (CLP) Statement of Work (SOW) OLC02.1. Table 2, Sample Locations, shows the sample identification number, the resident's name and the address for each location. Figure 2, Sample Location Map, shows the sample locations in relation to the Wooler facility.

Table 2 Sample Locations

Sample #	Name	Location
RWGW-01	Phil Keydell	Robert Wooler Company P.O. Box 300 Dresher, PA 19025
RWGW-02	(b) (6)	(h) (O)
RWGW-03		(D)
RWGW-04		
RWGW-05		
RWGW-06		
RWGW-07		
RWGW-08		
RWGW-09		
RWGW-10		
RWGW-11	Duplicate	Duplicate of Manufacturers C.C. Well
BL-01	Blank	

3.5 Sampling Results

The samples collected for this event were sent to the Recra Labnet-Pennsylvania (CLP approved) laboratory for analysis. Only samples RWGW01 and RWGW03 showed any contamination. Sample RWGW02 (b) (6) showed the presence of chloroform (2 ug/L); however, chloroform is a known laboratory contaminant which may have been introduced during the analysis. Table 3, Analytical Summary, indicates which samples showed contamination and at what levels contamination was present. According to the quality assurance package this contaminant was



present, but the value is not accurate. See Attachment 1 for a copy of the raw analytical results.

Table 3
Analytical Summary

Compound Detected	RWGW01	RWGW02	RWGW03
1,1,1-Trichloroethane	3 (j)	ND	ND
Trichloroethene	21 (1)	ND	ND
Tetrachloroethene	4 (j)	ND	11 (1)
Chloroform	ND	2 (j)	ND

ND - Analyte was not detected.

4.0 FUTURE ACTIONS/RECOMMENDATIONS

The information provided above indicates that the hazardous substances present at the Robert Wooler facility are being reduced by the natural flushing of the affected aquifer. The reported levels for this sampling event are lower than the values reported in the March 1997 sampling event, which were lower than the levels reported in the 1993 sampling event. It is logical to infer that the groundwater contamination continues to be reduced by natural dilution over time. The analytical results for this event do not exceed current EPA Region III Risk Based Concentration (RBC) values (Smith, 1998). It can also be stated that the horizontal migration of these substances is probably being restricted by the high volume production wells in use at the Wooler and Allied facilities. Based upon this information, SATA recommends that no further actions be taken at this time.

5.0 REFERENCES

Department of Commerce. 1996. *Technical Paper No. 40, Rainfall Frequency Atlas of the United States*. Hydrologic Services Division, Washington D.C.

E&E. 1993. Preliminary Assessment for the Robert Wooler Company Site, Dresher, Montgomery County, Pennsylvania. Prepared by M. Aucion. Ecology and Environment, Inc., Philadelphia, Pennsylvania. February.

U.S. EPA Region III. 1998. *Risk-Based Concentration Table*. Prepared by R. L. Smith. 14 April.

Site Inspection Report Robert Wooler Company Site. Roy F. Weston, Inc., Site Assessment Technical Assisstance Team, Delran, NJ. October

Attachment: Recra Labnet Analytical Report

D:Trip Report 2 7 21 July 1998

j - Analyte present. Reported value may not be accurate.

^{1 -} Analyte present. Reported value is biased low.



Attachment 1

Raw Analytical Results



United States Environmental Protection Agency Region III

Office of Analytical Services and Quality Assurance (410) 573-2600

839 Bestgate Road Annapolis, MD 21401 FAX: (410) 573-2698 (410) 573-2702

201 Defense Hwy Suite 200 Annapolis, MD 21401 FAX: (410) 573-2771

(410) 573-2772

: June 15, 1998

SUBJECT: Region III Data QA Review

FROM

: Fredrick Foreman aprillip

Region III ESAT RPO (3ES20)

TO

: Pete Gold

Regional Project Manager (3HS33)

Attached is the organic data validation report for the Robert Wooler Company Site (Case #26191; SDG #CTE48) completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III ESD.

If you have any questions regarding this review, please call me at (410) 573-2629.

Attachment

cc:

WA File: 0398202

TDF: 0601

Lockheed Martin Services Group
Environmental Services & Technologies Region 3
1419 Forest Drive, Suite 104 Annapolis, MD 21403
Telephone 410-268-7705 Facsimile 410-268-0331



DATE:

June 11, 1998

SUBJECT:

Level C1 Organic Data Validation for Case 26191,

SDG: CTE48

Site: Robert Wooler Company

FROM:

Not Responsive Based on Revised Scope

Organic Data Reviewer

TO:

Not Responsive Based on Revised Scop

ESAT Regional Project Officer

THROUGH:

ESAT Team Manager

Senior Oversight Chemist

OVERVIEW

Case 26191, Sample Delivery Group (SDG) CTE48, consisted of twelve (12) aqueous samples submitted to Recra/Labnet (RECMD), Monroeville, PA, for volatile analyses. The sample set included one (1) trip blank and one (1) field duplicate pair. Samples were analyzed according to Contract Laboratory Program (CLP) Statement of Work (SOW) OLM03.2 through Routine Analysis Services (RAS) program.

SUMMARY

Data were validated according to EPA Level C1 Innovative Approaches for Validation of Organic Data utilizing Computer Aided Data Review and Evaluation (CADRE) program, version 2.3.1. CADRE software utilizes electronic data submitted by the laboratory and evaluates the data according to Region III Modifications to the National Functional Guidelines. Quality Control (QC) measures evaluated by CADRE for this level of review are included in Appendix D. In addition, visual inspection of sample chromatograms and spectra was performed by the reviewer. All samples were successfully analyzed for all target compounds.

MINOR PROBLEM

• The interior cooler chest temperature of 9°C as arrived at the laboratory exceeded the required temperature of 4 °C as stated in the Statement of Work (SOW). Positive results not superseded by "B" or "J" were qualified "L". Quantitation limits were qualified "UL".



NOTES

- Bromomethane failed precision criteria [Percent Difference (%D)] in volatile continuing calibration performed 5/21/98. No positive results were reported for this compound in field samples. Percent Difference was less than fifty percent (%D < 50%); quantitation limits for bromomethane were not qualified.
- The maximum concentrations of all target compounds found in the analyses of trip and method blanks are listed below. Samples with concentrations of common laboratory contaminants less than ten times (<10X) highest blank concentration or with concentrations of other contaminants less than five times (<5X) blank concentration have been qualified "B".

Compound	Concentration (ug/L)
chloromethane	4 J
bromomethane	3 Ј
methylene chloride*	5 J
acetone*	18

^{*} common laboratory contaminant

 Compounds detected below Contract Required Quantitation Limits (CRQLs) were qualified "J" unless superseded by "B" on the CADRE Qualified Spreadsheet Reports.

All data for Case 26191, SDG CTE48, were reviewed in accordance with the Innovative Approaches to Data Validation, Region III, June 1995, and Region III Modifications to the National Functional Guidelines for Organic Data Review, September 1994.

ATTACHMENTS

1)	Appendix A	Glossary of Data Qualifier Terms
2)	Appendix B	CADRE Qualified Spreadsheet Reports
3)	Appendix C	CADRE Validation Reports
4)	Appendix D	Support Documentation

DCN: 26191rpt



Appendix A Glossary of Data Qualifier Terms



GLOSSARY OF DATA QUALIFIER CODES (ORGANIC)

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification.

- B = Not detected substantially above the level reported in laboratory or field blanks.
- R = Unusable result. Analyte may or may not be present in the sample. Supporting data necessary to confirm result.
- N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits):

- J = Analyte present. Reported value may not be accurate or precise.
- K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- UJ = Not detected, quantitation limit may be inaccurate or imprecise.
- UL = Not detected, quantitation limit is probably higher.

OTHER CODES

- NJ = Qualitative identification questionable due to poor resolution.

 Presumptively present at approximate quantity.
- Q = No analytical result.



Appendix B

CADRE Qualified Spreadsheet Reports

TCL QUALIFIED SPREADSHEET

Site: ROBERT WOOLER COMPANY

PAGE: 3

Case No: 26197 AL		TOE SONE!		Site: 9 Laboratory: 9	ROBERT WOOLER COMPANY RECRA ENVIRON	
EPA SAMPLE NUMBER: REGIONAL SAMPLE NUMBER: SAMPLE LOCATION: SAMPLE TYPE: MATRIX/ANALYSIS: DILUTION FACTOR: PERCENT MOISTURE:	RWGW11 Dupticate (CTES Water/Low 1.0	CTE59 RWBL01 6) Trip Bt Water/t 1.0				
Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Bromomichloromethane 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Bromomichloromethane 1,2-Dichloropropane cis-1,3-Dichloropropane cis-1,3-Dichloropropene Trichloroethene 0ibromocnloromethane 1,1,2-Trichloroethane Benzene trans-1,3-Dichloropropene Bromoform 4-Methyl-2-Pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene	3 10 10 10 10 10 10 10 10 10 10 10 10 10		3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
Xylene (total)	10	UL	.5 361			PAGE: 3

Water units are reported in ug/L. Soil units are reported in ug/Kg.

FILE NAME: CTE48 DATE: 06/02/98 TIME: 15:07 CADRE 2.3.1

TCL QUALIFIED SPREADSHEET

lase No: 26191

Site: ROBERT WOOLER COMPANY Laboratory: RECRA ENVIRON

PAGE: 2

PA SAMPLE NUMBER:	CTE53	CTE54			CTES5		CTE56		CTES7	10
EGTOVAL SAMPLE NUMBER:			-		nervano sess					P
A LOCATION:	RWGW06	RWGWO			RWGW08		RWGW09		RWGW10	
AMPLE TYPE:	Routine Sample		ne Sampte	e	Routine Sample		Duplicate (CTESS)	Routine Sampi	
ATRIX/ANALYSIS:	Water/Low	Water			Water/Low		Water/Low		Water/Low	
ILUTION FACTOR:	1.0	1.0			1.0		1.0		1.0	
ERCENT MOISTURE:	_!									
DA						_				
hloromethane	1 4	В	10	В	(3)	В	(2)			
romomethane	10	UL	10	UL	3	UL	10	В	(3)	E
inyl Chloride	74.74	UL	10	UL	10	UL	10	UL	10	UL
loroethane		ULI	10.	UL	10	UL	10	UL	10	UL
thylene Chloride	(4)	В	10 5	В	(5)	В	4	UL	5	UL
etone	10	UL	10	UL	4	UL	~ · · · ·	. В		8
arbon Disulfide		UL	10	UL	10	UL	10	UL I	10	UL
1-Dichtoroethene		UL	10	UL	10	UL	10	UL	10	UL
1-Dichloroethane	10550	UL	10	UL	10	UL	10		10	UL
2-Dichloroethene (total)	V94. ASSESS 14	UL	10	UL	10	UL	10	UL	10	UL
loroform	104	JL	10	UL	10	UL	(2)	UL	10	UL
2-Dichtoroethane	14 355 3	JL	10	UL	10	UL	16		10	UL
Butanone		JL	10	UL	10	UL	10	UL	10	u
1 -ichloroethane	1.16 .809 .0	JL	10	UL	10	UL	10	ULI	10	UL
rt /etrachloride	H 10 - 2070 - 20	JL I	10	UL	10	UL	10	ULI	10	UL
omodichloromethane	10 1	JL	10	UL	10	UL	10	UL	10	UL
2-Dichtoropropane	Maria (2007) (2	JL	10	UL	10	UL	10	ULI	10	UL
s-1,3-Dichtoropropene		JL I	10	UL	10	UL	10	ULI	10 10	UL
ichloroethene		IL	10	UL	10	UL	10	UL	10	UE
bromochloromethane	4 1 1 3 55 7 5 5 1 C	IL	10	UL	10	UL	10	UL	10	UL
1,2-Trichloroethane	10 (IL	10	UL		UL	10	UL	10	UL
nzene	10 (IL	10	UL	0.0.570	UL	10	UL	10	UL
ans-1,3-Dichloropropene	10 (IL	10	UL	(4.75)	UL	10	UL	10	UL
omoform	10 (ı.l	10	UL		UL	10	UL	10	UL
fettyl-2-Pentanone	10 U	ī.	10	UL	970.700	UL	10	UL	10	UE
ione	10 L	L	10	UL		UL	10	UL	10	UL
trauntoroethene	10 0	L	10	UL		UL	10	UL	10	UŁ
1,2,2-Tetrachloroethane	10 U		10	UL	10.00	UL	10	UL	10	UL
uene	10 U		10	UL	8.70	UL	10	UL	10	UL
orobenzene	10 U	L		UL		UL	10	UL	10.	UL
lytbenzene	10 U	L		UL	The state of the s	UL	10	UL	10	UŁ
rene	10 U	L		UL		UL	10	UL	10	UL
ene (total)	10 U			UL	- 9 7	UL	10	UL	10	UL

[:] CTE48 DATE: 06/02/98 TIME: 15:07 CADRE 2.3.1

er units are reported in ug/L. L units are reported in ug/Kg.

TCL QUALIFIED SPREADSHEET

Site: ROBERT WOOLER COMPANY Laboratory: RECRA ENVIRON

DG NOT CTE48			I -		CTES	1	CTES	2	
PA SAMPLE NUMBER: EGIONAL SAMPLE NUMBER: AMPLE LOCATION: AMPLE TYPE: ATRIX/ANALYSIS: ILUTION FACTOR: ERCENT MOISTURE:	RWGW01 Routine Sample Water/Low 1.0	RWGW02 Routine S Water/Low	ampte F	CTESO RWGWO3 Routine Sampt Water/Low 1.0	RWGW e Rout	04 ine Sample	RWGN	ine Sample	e
CA							ŀ		
hloromethane	10 U	1 (3) в	4)	В	(3)	ВІ	3	ι
romomethane	10 U			10	UL	70	ULI		
	10 U			10	ULI	10	UL!	10	
inyl Chloride	10 U	L) 10		10	UL	10	ULI	10	1
loroethane		B) (5) B	(4)	В	(4)	В	(5)	
thylene Chloride	10 0	-		10	UL	10	UL	TO	
etone	10 U	7718 10072	UL	10	UL	10	UL	10	
rbon Disulfide	10 U	T-1	UL	10	UL	10	ULI	10	
1-Dichloroethene	10 U		ULI	10	UL	10	UL	10	
1-Dichloroethane	10 U	T. 1	uL l	10	UL	10	UL	10	
2-Dichloroethene (total)	10 U		اد ر	10	UL	10	UL	10	
Loroform	10 U			10	UL	10	ULI	10	
2-Dichloroethane	10 0	7.0	ULI	10	UL	10	UL	10	
Butanone		J 10	UL	10	UL	10	UL	10	
1,1-Trichtoroethane	10 0	501 mil	UL	10	UL	10	UL	10	
rbon Tetrachloride	10 0	73	5 9935933	10	ULİ	10	UL	10	
omodichloromethane	10 0	774	ULI	10	UL	10	UL	10	
2-Dichtoropropane	10 0	- 1 miles	S (5)(5)(5)	10	ULI	10	ULI	10	
s-1,3-Dichtoropropene		10	2 2 2 2	10	UL	10	ULI	10	
ichloroethene		10	0 1007/27/1	10	UL	10	UL	10	
bromochloromethane		L 10		10	UL	10	UL	10	
1,2-Trichloroethane	11 MT	L 10	5	10	UL	10	UL	10	
enzene	111	L 10	100000	10	UL!	10	UL	10	
ans-1,3-Dichloropropene	7.61	10	5 55.000	10	UL	10	UL	10	
conoform		L 10	20062	10	UL	10	UL	10	
Hethyl-2-Pentanone		L 10		10	UL	10	UL	10	
Hexanone	1 (4)	J 11	5 STATE	(ID	L	10	UL	10	
trachloroethene		L 1		10	UL	10	UL	10	
1,2,2-Tetrachloroethane	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	500 C	10	UL	10	UL	10	
luene	11	L 1		10	UL	10	UL	10	
lorobenzene	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L 1		10	UL	10	UL	10	
thylbenzene		1		10	UL	10	UL	10	
tyrene		L 1	7	10	UL	10	UL	10	
ylene (total)	11 10 0	- 1		D 50€					

later units are reported in ug/L. soil units are reported in ug/Kg.



Appendix C CADRE Validation Reports

FILE NAME: CTE48 DATE: 06/02/98 TIME: 15:06 CRITERIA FILE: REG3091 DATA |X| Qualified Original QUALIFICATIONS PERFORMED CRDL Standards X | Quantitation Limit ICS Percent Moisture LCS X Holding Time Duplicates Calibrations Furnace AA QC X Matrix Spikes ICP Serial Dilutions IPC Sample Results Verification Internal Standards X Laboratory Blanks SMC/Surrogates X Field QC System Performance Sample Cleanup PRINT NON-DETECTS No X Yes PRINT REJECTED RESULTS No X Yes

SDG NO: CASE NO:

CTE48 26191

RECRA ENVIRON (Red)

AGENCY INPUT FILE. CTE48.OAS

LABORATORY:

CONTRACT REQUIRED SAMPLE QUALITITY

Low

Med

Water

5011

Soil

VOA

5.0 (ML)

5.0 /G

4.0 (G)

DC-45: The following volatile samples have analyte concentrations below the quantitation limit (CRQL . All results below the CRQL are qualified "J".

CTE48

Methylene Chloride, 1,1,1-Trichlorcethane, Tetrachloroethene

CTE49

Chloromethane, Methylene Chloride, Chloroform

Chloromethane, Methylene Chloride

CTESOMS

Chloromethane, Methylene Chloride

CTE50MSD

Chloromethane, Methylene Chloride

CTE51

Chloromethane, Methylene Chloride

Chloromethane, Methylene Chloride

CTE53

Chloromethane, Methylene Chloride

CTE54

Chloromethane, Methylene Chloride

CTE55

Chloromethane, Methylene Chloride

Chloromethane, Methylene Chloride, Chloroform

CTE57

Chloromethane, Methylene Chloride

Filename: CTE48

Date: 06/02/98 Time: 15:03 CADRE: 2.3.1

Quantitation Limit Report

SDG NO: CASE NO:

CTE48 26191 LABORATORY: RECRA ENVIRON

AGENCY INPUT FILE: CTE48.OAS

CTES8

Chloromethane, Methylene Chloride, Chloroform

CTES9

Chloromethane, Methylene Chloride

VBLK21

Chloromethane, Bromomethane, Methylene Chloride

VHBLK14

Chloromethane, Methylene Chloride

Holding Time Report

SDG NO: CASE NO: CTE48 26191

LABORATORY: RECRA ENVIRON Red)

AGENCY INPUT FILE: CTE48.0AS

HOLDING TIME CRITERIA

Volatile

Preserved	Primary	Expanded
Water	14	28
Scil	14	28

	Aron	matic	Non-a:	romatic
Unpreserved	Primary	Expanded	Primary	Expanded
Water	7	14	14	28
Soil	14	28	14	28

No problems found for this qualification.



CASE NO:

Calibration Report

CTE48 26191 LABORATORY: RECRA ENVIRON

AGENCY INPUT FILE: CTE48.0AS

CALIBRATION CRITERIA

Volatile

.....

	Primary	Expanded
Minimum RRF	0.05	0.05
Maximum %RSD (initial calibration)	30	50
Maximum *D (continuing calibration)	25	50
Calibration time period	12	

DC-23: The following volatile samples are associated with a continuing calibration percent difference (%D) outside criteria. Hits are qualified "J".

Bromomethane

CTE48, CTE49, CTE50, CTE50MS, CTE50MSD, CTE51

CTE52, CTE53, CTE54, CTE55, CTE56, CTE57

CTE58, CTE59, VBLK21, VHBLK14

1

Matrix Spike Report

SDG NO: CASE NO: CTE48

26191

LABORATORY:

RECRA ENVIRONA/G AGENCY INPUT FILE: CTE48.OAS(Red)

MATRIX SPIKE CRITERIA

Volatile

Percent Recovery Limits & RPD

		Water			Soil	
	Lower	Upper	RPD	Lower	Upper	RPD
1,1-Dichloroethene	61.0	145.0	14.0	59.0	172.0	22.0
Trichloroethene	71.0	120.0	14.0	52.0	137.0	24.0
Benzene	76.3	127.0	11.0	56.0	142.0	21.0
Toluene	76.0	125.0	13.0	59.0	139.0	21.0
Chlorobenzene	75.3	130.0	13.0	50.0	133.0	21.0

No problems found for this qualification.





CTE48 26191 LABORATORY: RECRA ENVIRON

AGENCY INPUT FILE: CTE48.CAS

The complete primary criteria for BFB are as follows:

Bro-ofluoropenzene BFB.

TT./ Z	ION ABUNDANCE CRITERIA Volatile
5 :	5.0 - 40.0% of m/z 95
75	30.0 - 66.0% of m/z 95
9.5	base peak, 100.0% relative abundance
96	5.0 - 9.0% of m/z 95
173	less than 2.0% of m/z 174
174	50.0 - 120.0% of m/z 95
175	4.0 - 9.0% of m/z 174
176	93.0 - 101.0% of m/z 174
177	5.0 - 9.0% of m/z 176

No problems found for this qualification.

1

Internal Standards Report

SDG NO: CASE NO: CTE48 26191

LABORATORY: RECRA ENVIRON

AGENCY IMPUT FILE: CTE48.0AS

INTERNAL STANDARD CRITERIA

......

Volatile

Retention Time & Area Count Limits

-- Primary -- - Expanded --Lower Upper Lower Upper

55555 STORE STORE ***** Retention time - 0.5 + 0.5 - 0.5 + 0.5 / 2 • 2 / 5 • 2 Area count

No problems found for this qualification.



CASE NO:

SMC/Surrogate Report

LABORATORY: RECRA ENVIRON

CTE48

26191

AGENCY INPUT FILE: CTE48.0AS

SMC/SURROGATE CRITERIA

Volatile

......

Percent Recovery Limits

......

	Wa	ter	Sc	oil
	Lower	Upper	Lower	Upper
Toluene-d8	88.0	110.0	94.0	138.0
Bromofluorobenzene	86.0	115.0	59.0	113.0
1,2-Dichloroethane-d4	76.0	114.0	70.0	121.0

No problems found for this qualification.

1

Field QC Report

SDG NO:

CTE48

CASE NO:

26191

LABORATORY:

RECRA ENVIRON

AGENCY INPUT FILE: CTZ48.0450

DC-136: The following volatile samples are affected by contamination in their corresponding trip blank for the indicated analytes. Hits are qualified "B" and non-detects are not qualified.

Methylene Chloride

CTE48, CTE49, CTE50, CTE50MS, CTE51MSD, CTE51 CTE52, CTE53, CTE54, CTE55, CTE56, CTE57 CTE58

DC-367: The following volatile samples are affected by contamination in an associated method blank for the indicated analytes. Hits are qualified "B" and non-detects are not flagged.

Chloromethane

CTE49, CTE50, CTE50MS, CTE50MSD, CTE51, CTE52 CTE53, CTE54, CTE55, CTE56, CTE57, CTE58 CTE59

1



Appendix D Support Documentation

ORIGINAL (Red)

Computer-Aided Data Review and Evaluation (CADRE)

Level C1 - Organic

DATA ASSESSMENT	CADRE	REVIEWER
Action Level Notification	5	X
Instrument Tune (volatile and semivolatile only)	Х	Α
GC/ECD Performance Check (pesticide only)	Х	
Initial Calibration (RRF/CF)	X	
Initial Calibration (%RSD)	X	
Continuing Calibration (RRF) (volatile and semivolatile only)	X	
Continuing Calibration (%D)	X	
Laboratory Blank	X	
MS/MSD (%R, RPD)	X	
Internal Standard Area (volatile and semivolatile only)	X	
Field Blank	X	
Holding Time	X	
Retention Time	X	
Surrogate Recovery	X	
Dilution Factor		Х
Pesticide Cleanup Checks (pesticide only)	X	1
Mass Spectra (volatile and semivolatile only)		Х
Chromatograms		X
Sample Paperwork		Х
Raw Data		
Field Duplicate Comparison		
MS/MSD Comparison		SST
TIC Evaluation (volatile and semivolatile only)		

4					
~	-	-	-	-	
-	63	O	34	15	а .
0	U		\mathbf{r}	"	,
100	Operation				

) K	SOUUC										1	_	_	1	1	_		Г		E8/E 'A	H 1-3	510-15A	!
1.	CINAL	Pe			ases	- versW		1		-	1		-		-								
Ok	8	Data Received	-		K High Phases	-vetsW Associble Liq.				1	1	1	+	1	1	s)		1	re)	ure).			1
191	J/68. Unit Price	0 8		93		SpiloS	:		1	1	_	+	_	_	-	nber(-		gnatı	ignati			
2619	The Py:	Da		Price	Sampler	Initials	6	N	بيا	4) d	70	1	C	-10	Nun	l		(S)	.: (S			
	Ped			-							*		-	1	-	Seal		-	ь Б	yd be	enor		
	PAGE 1	P (703) (703)		500 74	ding	CLP Inorganic · Sample No.										Chain of Custody Seal Number(s)			Received by: (Signature)	Received by: (Signature)	SNA		
	on Rev	3 (° (° (° (° (° (° (° (° (° (° (° (° (°	533	per :	- Spong	ple N	1	1	1	1	,		1		,	Cus	1	-	ž	<u>~</u>	ict?C		
(e	S. Y	V stall.	À	Num	Corre	Sam		1	1	1	1	1	Ϊ.	1	1	nain			e l	e -	al inte		
(il applicable)	Carbonatory Contract Number U	7. Transfer to:	Received by	Contract Number	_				1-	^	-	+	-	-	-	-			Date / Time	Date / Time	Is custody seal intact? WN/none	200	
de II)	Lando	3 -	H 196	Con	_	• <u> </u>	7760	1235	3450	900	1450	1 7	10/2		0.71				Dat	Dat	ustoc	00	
		1,14	Ų.		H Mo/Day/	Year/Time Sample Collection		1	1	7	4	1	18	_	4					-	18 C		
0		75-0	Drive	Q. 7)	Ň	Yea Sa Coll	1.3/58	15/18	13/18	43/15	7	5420	13		11/10				(6	(0	arks		
200	9 .5	Pori	7	Scope		12.1	الم	1	12	17	7	1	171	<u> </u>	3/3	S			atur	natur	Remarks		
Chain of Custody Record (For Organic CLP Analysis)	PHONE	+	120	evised	10.0			- 7.1	m	ho	50	9 1	200	0 5	0	Additional Sampler Signatures			Relinquished by: (Signature)	Relinquished by: (Signature)	F	_	1
Ana	FUEX	SCCALABUET	61.	_ E	G :	Location	Rusmol	00	Rutino	00	64) 05	9	7	0.17.770	0.1/1.0	npler Signatur	L.	BD	by:	py:	me	0150	
arrice isto	70	LA LA	Tech	Base	Sts	<u>8</u>	160	94GWO	197	BW 6 W		Rw 6	Rushin	5	1619	a la		ECO	shed	shec	Date / Time		_
15 E	E 201	5 4	70 5	OOUSING		•	Re	Re	Bu	13.6	8	*	30	3	1	San	. 1	DY R	inbu	nbuj	Dat	SHAIS	+
	4. Date Shipped Carrier	30	Fro Tech	of Res												liona		CHAIN OF CUSTODY RECORD	8	R B		5	1
	Shipped / / / / / / / / / / / / / / / / / / /	11. J. 17.	is a gr	- Z			3	5	2	6	٠	-	١,	١,		Ser le		FCU		Scop			
- S	SPIES	. <u> 1</u>		AT NE	ecilio	mbers bers	5	63	20	0	7	١٠	03.4					O N		vised			
	S. Date	5. Ship To		. ¥	Sp	Z S	,	7			:		,			-1		CHA	(eun	ure)			
*;	8		E 100	NO BY	F. F. Benjonal Specific	Tracking Numbers or Tag Numbers	5034	637	95040	0	2000	5605	2	10	*	tory OC			(Signature)	(Signature) Based on R			
	* 24.44 8		Action Tem	COZ	å	₽ ŏ	1 2	- 5	19.5	05512			20	205		ratory		:		0			
ć	S o					· · · · ·	3- 21		12 -		3.219	3.211	3-2175	3.2.2	3-717	abora	5		Received by:	Received by: Not Responsiv			
Agen	pilla 3		CLEM	S = 2	-	16 J 63		m	.7	M	7	m	m	<u>~ 1</u>	7	× 5	GIES		acely.	ecelv of Res			
gram	2. Region No. Sampling Co.		PA EN	TX	vais	AROVA		٠	. 1	- **	:		. 2			Sample(s) to be Used for Labora	5	1				4	7
Prot	No No		0	-4	E E	BO4/bse	1			-			-		-	1	-		e 0,7/	<u>e</u>	. 9		
ment	egior		3. Purpose	STA	249	ANA	×	×	×	×	×	×	×	X :	×	X			E_	YF :	Date / Time		4
ct Lab	5 c		G. 3	1			1					-	1.7	-					Date	Date /	Date		
United States Environmental Protection Agency Contract Laboratory Program	S ILON LE	V6.	. 55		B C D	vative (from Box 2)	-	_	-	-	_	-				- 0		7	1		./-		
od Ste	Column D	HNO3 NaHSO44 H2SO4	Other (Specify In Column D)	Not preserved	O	Comp./ Grab	5	3	9	S	9	S	3	5	5	3	, ,		Scope			_	
E C	Solution	HNO3 NaHSO4 H2SO4	Other (Specify Column	Not preșe	0	120°	1	+				+		+	-	7 8	? ō		ised ((eun	· Court	ì	
1	4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	-9.6.4.c		z,	B 2	HAN E	#	7	-	4	4	4	-	1	4	7		1	n Rev	gnati	data		
7	1	- t	<u> </u>	<u>\$</u> _	_	(from Box 1)	2	7	14	7	11	2	2	11	2	11	P	-	sed o	Relinquished by: (Signature)	Dollary (Singstine)	2	
	Matrix (Enter in Column A)	Graund Water Leachate Field QC	Oll (High only) Waste (High only)	Other (Specify in Column A)	-	22	+	-	1			-1			-	4	Complete? (Y/N)		ve Ba	od by	. 7	5	
Ш	× 5000	Ground W Ground W Leachate Field OC	H e	olun		Sample Numbers (from	todo	45.49	200	5	EGI	CT [53	7657	CIECS	72 26	टाहरन	ete?	-	ponsi	uish	de	-	
6	Marrix	Grd	Waste Hah	50	- 6	Sample Numbers (from labels)	+	1	Tre S	5	(TE	t	U	D	U	9	duc		t Res	elind	. Gilo		
1/	4 .	-0.6.4.n	.00.	œ.	1	_	-	1	1	Ľ						Ji	ಗರ		. 2	lœ.	10		_

the properties of the control of the

Like

PAGE_1_OF_1_ EPA SAMPLE SHIPPING LOG

ROJECT SIT RAS NO2619 PROJECT SIT PROJECT SAI	91_; DA E LEADE	S NO R:	ive Based on Revised	; T/	ASK OR SE	EPA PROJET NO	_1_			o <mark>(b) (6</mark>)		v				S REQUIRED	
	Martin and the second	SAMPLE	TYPE OR	SAMPLE		ORGANICS	ORI	NORG	ANICS	BEOE!	·FD		4				
INFO AND/OR COMMENTS	(low/ med/ high)	PHASE (aq/ sol)	org, dio	TRAFFIC REPORT NUMBER	LAB NAME	DATE SHIPPED	(XX VOA	OUT	TEMS	RECEIV NOT RE TCDD	QU	ESTED) METALS	CN		(itemize)	DATE SHIPPED	DATA REC'D
(2)	(3)	(4)	(5)	(6)	(7)	(8)	<	(9)		->				(11)	(12)	(13)	
	LOW	AQ	ORG	CTE48	RECMD	05//13/98	1	xx	xx	XX	xx	XX	xx				_
	LOW	AQ	ORG	CTE49	RECMD	05//13/99	1	XX	XX	XX	xx	XX	XX				
	LOW	AQ	ORG	CTE50	RECMD	05//13/100	4	XX	ХХ	XX	XX	XX	xx				_
	LOW	AQ	ORG	CTE51	RECMD	05//13/101	1	XX	XX	XX	XX	XX	XX				_
	LOW	AQ	ORG	CTE52	RECMD	05//13/102	1	XX	XX	XX	XX	XX	XX	-			
	LOW	AQ	ORG	CTE53	RECMD	05//13/103	4	XX	XX	XX:	XX	XX	XX	-		-	-
	LOW	AQ	ORG	CTE54	RECMD	05//13/104	4	XX	XX	XX	XX		XX				
	LOW	AQ	ORG	CTE55	RECMD	05//13/105	H	XX	XX	XX	XX		XX				
	LOW	AQ	ORG	CTE56	RECMD	05//13/106	14	XX	XX	XX	XX		XX				
	LOW	AQ	ORG	CTE57	RECMD	05//13/107	1	XX	XX	XX	XX		XX				
Dup CTE56	LOW	AQ	ORG	CTE58	RECMD	05//13/108	1	XX	XX	XX	XX		xx				
Trip Blank	LOW	AQ	ORG	CTE59	RECMD_	05//13/109	4	XX	10	XX Kd	5.	28-98					
	<u> </u>	-	-	 	1 1	100	1		,	1	1	CTE 48					
		+			HAY	1998 VED										-	
1 20	ů,				WECET	AFD :							_		-		+
J- 36					1	SHIPPING D					L			<u> </u>		1	

(14)



ANALYTICAL RESULTS Case Narrative Notes Prepared For

The United States Environmental Protection Agency

Prepared By

Recra LabNet Contract # 68D50010 3000 Tech Center Road Monroeville, PA 15146

METHODOLOGY

The specific methodology employed in obtaining the enclosed analytical result is indicated on the specific data table. The method numbers presented refer to the following U.S. Environmental Protection Agency reference.

 U.S. Environmental Protection Agency 8/94 Organic Statement of Work, OLMO3.2.

COMMENTS

Comments pertain to data on all pages of this report.

It is RECRA Environmental's policy to report positive identifications to a level of approximately ten percent of CRQL.

The Volatile sample pH data has been reported in tabular format and is located directly behind the GC Column Summary portion of the Case Narrative.

The protocol required Alkane summaries are reported in tabular format, listed by retention time in minutes, and are located directly behind the Volatile sample pH data, directly preceding the Fraction Notes portion of the Case Narrative.

GCMS quantitation reports for both samples and standards contained within this sample data package often require manual integration of the areas of the quantitation ion for select constituents. When such manual integration is required, the quantitation report for said constituents are flagged with an "M". The need for manual integration includes, but is not necessarily limited to, the autoquantitation program's failure to integrate peaks of interest or the failure to correctly integrate said peaks due to poor geometry, peak tailing or peak resolution. Manual edits of Form 1 data, if performed, are flagged with an "X" qualifier.

GAS CHROMATOGRAPH COLUMNS

ORICHAL VOLATILES

GC Column: J&W Scientific DB-624

Internal Diameter: 0.53 mm

Length: 75m

Coating: Cyanopropylphenyl Methyl Silicone

Film Thinckness: 3.0 um

GC Column: Restek RTX-502.2

Internal Diameter: 0.32 mm

Length: 60m

Coating: Phenylmethyl Polysiloxane

Film Thickness: 1.8 um

Purge Trap: Supelco: Vocarb 3000

Packing Material: 10cm Carbopack B

6cmm Caboxen 1000 1cm Carboxen 1001

<u>SEMIVOLATILES</u>

GC Column: J&W Scientific DB5

Internal Diameter: 0.25 mm

Length: 30m

Coating: 5% Diphenyl-95% Dimethylpolysiloxane

Film Thickness: 1.0 um

PESITCIDES/PCB's

GC Column: J&W Scientific DB608

Internal Diameter: 0.53 mm

Length: 30m

Coating: Cyanopropylphenyl Methyl Silicone

Film Thickness: 0.83 um

GC Column: J&W Scientific DB1701

Internal Diameter: 0.53 mm

Length: 30m

Coating: 14% Cyanopropylphenyl Methylpolysiloxane

Film Thickness: 1.0 um

GC Column: J&W Scientific DB5

Internal Diameter: 0.53 mm

Length: 30m

Coating: 5% Phenyl-95% Methyl Silicone

Film Thickness: 1.5 um

GC Column: Restek RTX-5

Internal Diameter: 0.53 mm

Length: 30m

Coating: 5% Diphenyl-95% Dimethylpolysiloxane

Film Thickness: 1.5 um



(D,J.)

ASE/SDG: 26191/CTE48

CONTRACT NUMBER: 68-D5-0010

SAMPLE INFORMATION: CTE48

CTF49

CTE50

CTE51

CTE52

CTE53

CTF54

CTE55

CTE55MS

CTE55MSD

CTE56

CTE57

CTE58

CTE59

Recra LabNet of Monroeville, Pennsylvania received the above referenced samples from the USEPA on May 14, 1998. The delivery group contains 12 waters for Organic analyses. These analyses were performed according to instructions in the IFB document for this contract.

The samples in this case arrived with several vials broken. CTE51 had one vial broken and CTE58 had two vials broken. There was a sample tag for the trip blank but it was ? not present on the Traffic report. The coolers arrived with temperatures of 9 degrees Celsius.

The date shipped was not on the chain of custody. There was no Airbill present in the shipment only the airbill sticker. The sample coordinator was notified of these discrepancies and the Laboratory was told to note them in the case narrative.

VOLATILE DATA:

There were no deviations from protocol observed during these analyses.

I certify that this package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions listed Release of the data contained in this hardcopy data package and the computer-readable data submitted on diskette has been authorized by the Laboratory Manager, or his designee, as verified by the following signature.

Responsive Based on Revised Scope

5-22-98 Date

000005

CASE NO: 26191 SDG NO: CTE48

Sample Listing
LABORATORY: RECRA ENVIRON

EPA	REGIONAL			SAMPLING	DATE		ANALYSI	S
SAMPLE NUMBER	SAMPLE NUMBER	MATRIX	LEVEL	CATE	RECEIVED	CATE	TIME	INSTRUMENT
VBLK21		Water	Low	7.7	1/	05/21/98	16:57	HPMS - 5
CTE48		Water	Low	05/13/98	05/14/98	05/21/98	17:15	HPMS-E
CTE49		Water	Low	05/13/98	05/14/98	05/21/98	18:16	HPMS-5
CTE50		Water	Low	05/13/98	05/14/98	05/21/98	18:13	HPMS-5
CTE51		Water	Low	05/13/98	05/14/98	05/21/98	19:11	HPMS-E
CTE52		Water	Low	05/13/98	05/14/98	05/21/98	19:42	HPMS-E
CTE53		Water	Low	05/13/98	05/14/98	05/21/98	20:13	HPMS-5
TTE54		Water	Low	05/13/98	05/14/98	05/21/98	20:45	HPMS - 5
TTE55		Water	Low	05/13/98	05/14/98	05/21/98	21:15	HPMS-5
TTE56		Water	Low	05/13/98	05/14/98	05/21/98	21:48	HPMS - 5
TE57		Water	Low	05/13/98	05/14/98	05/21/98	22:23	HPMS-E
TTE58		Water	Low	05/13/98	05/14/98	05/21/98	22:52	HPMS-E
TE59		Water	Low	05/13/98	05/14/98	05/21/98	23:23	HPMS-5
TTE50MS		Water	Low	05/13/98	05/14/98	05/21/98	23:55	HPMS-5
TTE50MSD		Water	Low	05/13/98	05/14/98	05/22/98	00:25	HPMS-5
VHBLK14		Water	Low	1 1	11	05/22/98	00:53	HPMS-5



PFF

Calibration Listing

LABORATORY: REITA ENVIRON

RACTION	INSTRUMENT	TYPE	GC COLUMN	DATE	TIME	COMPOUND	RRF	%RSD (%D/RPD)
VOA	HPMS-5	INITIAL	E0508001	35/08/98	12:06			
VCA	HPMS-5	CONTINUING	E0521008	05/21/98	16:15			
						Bromomethane		29.
ASSCC	. Sample s :	VBLK21		05/21/98	16:57			
	** CT**********************************	CTE48		05/21/98	17:35			
		CTE49		05/21/98	18:06			
		CTE50		05/21/98	18:38			
		CTE51		05/21/98	19:10			
		CTE52		05/21/98	19:42			
		CTE53		05/21/98	20:13			
		CTE54		05/21/98	20:45			
		CTE55		05/21/98	21:16			
		CTE56.		05/21/98	21:48			
		CTE57		05/21/98	22:20			
		CTE58		05/21/98	22:52			
		CTE59		05/21/98	23:23			
		CTE50MS		05/21/98	23:55			
		CTE50MSD		05/22/98	00:26			
		VHBLK14		05/22/98	00:58			

^{*} Only RRF and *RSD (*D/RPD) values which exceed criteria are listed.

TCL QUALIFIED SPREADSHEET

Site: ROBERT WOOLER COMPANY

Case No: 25191 SDG No: CTE48				Lai	Site: ROBER Coratory: RECRA	RT WOOLER COMPANY	Opi
EPA SAMPLE NUMBER:	CTE50MS	1	CTE50MSD	_			ORIC
REGIONAL SAMPLE NUMBER:	11	i	CIESOMSD	1	1		(Re
SAMPLE LOCATION:	ii	- 1		1	1		
SAMPLE TYPE:	Matrix Spike	i	Matrix Spike Du	_	!		
MATRIX/ANALYSIS:	Water/Low		Water/Low	2	!		
DILUTION FACTOR:	11 1.0/ 1.0	1.0	1.0/ 1.0		1		
PERCENT MOISTURE:	ii .	į	1.0/		1		
VOA		_					
Thloromethane	4	BI	3		į		
Sromometnane	11 10	Ul	10	3	Į.		
Vinvl Chloride	11 10	Ul	10	U	ļ		
Thloroetname	10	U	10	ŭ	ļ		
Methylene Chloride	11 5	B	5	U B	!	Vi	
Acetone	11 10	U	10	UI	!	1	
Carbon Disulfide	11 10	U	10	υl	!		
,1-Dichloroethene	11 55	9	56	9	1		
,1-Dichloroethane	11 10	וֹט	10	וט	!		
,2-Dichloroethene (total)	11 10	υl	10	וט			
hloroform	11 10	U	10	U	!		
.2-Dichlorcethane	11 10	וט	10	וט	ļ.		
-Butanone	11 10	υĺ	10	U			
.1,1-Trichloroethane	11 10	Ul	10	ul			
arbon Tetrachloride	11 10	UI	10	וט		1	
romodichloromethane	11 10	U	10	A		1	
,2-Dichloropropane	10	U	10	U			
is-1,3-Dichloropropene	10	UI	10	מן וע		1	
richloroethene	11 52	-	51	- 1	!	1	
ibromochloromethane	10	υİ	5.7	ן ט	1	!	
,1,2-Trichloroethane	11 10	U	10	וט	!		
enzene	11 56	-	57		1	!	
rans-1,3-Dichloropropene	11 10	U		וט			
romoform	11 10	U		ווי	!		
-Methyl-2-Pentanone	11 10	U		U I	1	ļ	
-Hexar one	10	U	17/7	וט			
etrachloroethene	11 10	U	- RE-	ul	1	ļ	
,1,2,2-Tetrachloroethane	10	U	725	ul	!	Į.	
oluene	11 53	-	57	~	-	!	
hlorobenzene	11 51	i	54	1	1	1	
thylbenzene	11 10	υİ	- 5.5	וֹט	1		
tyrene	10	U	55	וט	1	1	
ylene (total)	11 10	U	1277	U	!	į	

Water units are reported in ug/L. Soil units are reported in ug/Kg.

TCL QUALIFIED SPREADSHEET Site: ROBERT WOOLER COMPANY 26191 Laboratory: RECRA ENVIRON EPA SAMPLE NUMBER: | VBLK21 VHBLK14 REGIONAL SAMPLE NUMBER: SAMPLE LOCATION: SAMPLE TYPE: |Method Blank Storage Blank |Water/Low MATRIX/ADALYSIS: |Water/Low DILUTION FACTOR: 1.0/ 1.0 1.0/ 1.0 PERCENT MOISTURE: VOA Chloromeinane 10 U Bromomethane 10 U 10 U Vinyl Chloride U 10 U 10 Chloroetmane Methylene Chloride 3 J J 10 U (18) Acetone U 10 U Carbon Disulfide 10 10 U U 1,1-Dichloroethene 10 Ul 1,1-Dichlorcethane 10 U 10 10 U 10 U 1,2-Dichloroethene (total) U 10 U Chloroform 10 10 Ul 1,2-Dichioroethane 10 U 10 U 10 U 2-Butanone U 10 U 10 1,1,1-Trichloroethane U 10 U 10 Carbon Tetrachloride U Bromodichloromethane 10 U 10 10 U 10 U 1,2-Dichloropropane U 10 U 10 cis-1,3-Dichloropropene 10 U Trichlorcethene 10 U 10 U 10 U Dibromochloromethane 10 U 10 U 1,1,2-Trichloroethane Ul 10 U 10 Benzene trans-1,3-Dichloropropene 10 U 10 U 10 U 10 U Bromoform 4-Methyl-2-Pentanone 10 U 10 U U 10 U 10 2-Hexanone 10 U 10 U Tetrachloroethene 1,1,2,2-Tetrachloroethane 10 U 10 U U U 10 Toluene 10 Chlorobenzene 10 U 10 U 10 U 10 U Ethylbenzene U U 10 10 Styrene U Xylene (total) 10 U 10

PAGE: 1

Water units are reported in ug/L. Soil units are reported in ug/Kg.

FILE NAME: CTE48 DATE: 06/02/98 TIME: 15:06 CADRE 2.3.1